

Payment for the above work will be at the contract unit price per square meter complete in place including all excavation, material and labor.

258.82 Payment Item.

258.	Stone for Pipe Ends	Square Meter
------	---------------------	--------------

SECTION 259

CRUSHED STONE FOR BLEEDERS

DESCRIPTION

259.20 General.

The work under this item consists of constructing foundation drains, using crushed stone filter material, in accordance with these specifications and in close conformity with the lines and grades shown on the plans or established by the Engineer.

MATERIALS

259.40 General.

Crushed Stone shall comply with the provisions of subsections M2.01.0 and M2.02.4.

CONSTRUCTION METHODS

259.60 General.

The trench for crushed stone bleeder shall be excavated to the specified line and grade. The width and the depth shall be as shown on the plans. The sides of the trench shall be vertical.

Crushed stone shall be placed and rough graded after the Special Borrow has been placed but before the subbase or surface course, except as otherwise directed.

COMPENSATION

259.80 Method of Measurement.

Measurement of the above work shall be the quantity of Crushed Stone actually used. The weight slips shall be countersigned on delivery by the Engineer, and no weight slip not so countersigned shall be included for payment.

259.81 Basis of Payment.

Payment for the above work shall be made at the contract unit price per metric ton for the quantity of crushed stone actually used, which shall include full compensation for the excavation and other materials necessary to satisfactorily complete the work.

259.82 Payment Item.

259.	Crushed Stone for Bleeders	Metric Ton
------	----------------------------	------------